




# TERMITE CONTROL



## NOBAN-TC 20

**INTRODUCTION :** A contact and stomach insecticide emulsifiable concentrate formulation containing chlorpriphos as A.I. **NOBAN TC - 20** containing as 20% A.I. as Chlorpriphos 20% & **NOBAN TC-50** 50% A.I. as chlorpriphos.

**RECOMMENDATIONS :** Noban is recommendations for non crop sector for termite control, in Buildings (pre & post construction treatment) forestry soil treatment and for the seed treatment at the required dosage and application if is also recommend for the control of pest Cerels, Pulses, Sugarcane, Fibre crops, Oil seeds and is horticulture forth control of vereas. pest control Leaf roller, Gall midge, Black bug, Pod borer, Early shoot & Stalk borer, Aphid, Boll worm, Root gurb, Diamond backmoth, Aeafhooper, Ground beetle, at different application dosage.

**EQUIPMENTS USED IN APPLICATION :** Knapsack sprayer, foot sprayer, Compression knapsack sprayer, power and battery sprayer, AP-HP.

**ANTIDOTE :** Atropinise the patient immediately and maintain full atropinization by repeted doses of 2 to 4 g. at 5 to 10 minutes interval for hours together, the need for further atropine administration is indicated by the continuance of symptoms. As much as 25 to 50 mg may be required in a day. The extent of salivation is as useful criterion to follow in adjusting the dosage of atropine. And dissolve 1-2 gm. of 2 P.A.M in 10ml. distilled water and injected intravenously very slowly for 10-15 minutes.

**STORAGE :** The pesticides shall be stored in a separate rooms away other Articles premises meant for storaing the insecticides shell be well built, well lit and ventilated and of sufficient to avoid contamination with vapors.

**PACKING :** Standard packing and match to statutory requirement product and as per customer requirement.

**Note :** Information given above are the guidelines best to our knowledge. Recommendation made are without any guarantee since condition use are not in our control.

