



# CHEMET WETS & FLOWS P. LTD.

AN ISO 9001:2008; ISO 14001:2004; OHSAS 18001:2007 CERTIFIED COMPANY

G-12 Hemkoot Building, B/H LIC Office, Opp. B.M. Institute of Mental Health, Ashram Road, Ahmedabad-380009. Gujarat. INDIA.

Phone : 079-26586091, Fax : 079-26587111 Email : [info@chemet.in](mailto:info@chemet.in) Website : [www.chemet.in](http://www.chemet.in)

## PRODUCT SAFETY DATA SHEET OF DELTAMETHRIN 2.5 % WP

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name	SEED B .OL
Technical Name	DELTAMETHRIN 2.5 % WP
Chemical Name	[(S)-cyano-(3-phenoxyphenyl)-methyl] (1R,3R)-3-(2,2-dibromoethenyl)-2,2-dimethyl- cyclopropane-1-carboxylate
Formula	C <sub>22</sub> H <sub>19</sub> Br <sub>2</sub> NO <sub>3</sub>
Supplier	CHEMETWETS & FLOWS PVT.LTD Plot no.129/c/2, GIDC Estate, Ankleshwar_393002
Manufacturer	CHEMETWETS & FLOWS PVT.LTD Plot no.129/c/2, GIDC Estate, Ankleshwar_393002
Environmental, Health and Safety Department	Fax : 02646-220254 Number: 02646-239490
E mail Id	chemetank@gmail.com

### 2. COMPOSITION INFORMATION OF INGREDIENTS

Ingredient	CAS NO	Percentage
Deltamethrin	52918-63-5	2.5%

### 3. HAZARDS IDENTIFICATION SUMMARY

#### POTENTIAL HEALTH EFFECTS

Eyes	Cause irritation to eyes.
Skin	May cause transient sensation and itching by skin contact.
Ingestion	Harmful if swallowed.
Inhalation	Harmful by inhalation.



# CHEMET WETS & FLOWS P. LTD.

AN ISO 9001:2008; ISO 14001:2004; OHSAS 18001:2007 CERTIFIED COMPANY

G-12 Hemkoot Building, B/H LIC Office, Opp. B.M. Institute of Mental Health, Ashram Road, Ahmedabad-380009. Gujarat. INDIA.

Phone : 079-26586091, Fax : 079-26587111 Email : [info@chemet.in](mailto:info@chemet.in) Website : [www.chemet.in](http://www.chemet.in)

Environment

Very toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.

## 4. FIRST AID MEASURES

### Contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present. Get medical attention if irritation develops and persists

### Contact with skin

Remove contaminated clothing and clean the affected skin area immediately with soap and plenty of water. Symptoms can be partially alleviated by the application of a vitamin E or moisturizing cream. When symptoms persist or in all cases of doubt seek medical advice.

### Ingestion

In the event of collapse, apply artificial respiration. Keep in mind that if mouth-to-mouth resuscitation is used, vomit may contain toxic amounts of Alpha-cypermethrin. Keep the person calm and comfortable and obtain medical assistance as soon as possible

### Inhalation

Move the patient to fresh air and keep warm and at rest. If symptoms persist, call a physician.

## 5. FIRE FIGHTING MEASURES

### Flash point

Not flammable

### Extinguishing media

If product is involved in a fire, use water spray, foam, dry powder, carbon dioxide or sand.

### Special exposure hazards

Thermal decomposition products may emit toxic fumes of hydrogen cyanide and oxides of carbon and nitrogen.

### Protective equipment for fire-fighting

In the event of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective suit for fire fighting.

### Fire fighting guidance

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



# CHEMET WETS & FLOWS P. LTD.

AN ISO 9001:2008; ISO 14001:2004; OHSAS 18001:2007 CERTIFIED COMPANY

G-12 Hemkoot Building, B/H LIC Office, Opp. B.M. Institute of Mental Health, Ashram Road, Ahmedabad-380009. Gujarat. INDIA.

Phone : 079-26586091, Fax : 079-26587111 Email : [info@chemet.in](mailto:info@chemet.in) Website : [www.chemet.in](http://www.chemet.in)

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

Avoid dust formation. Ensure suitable personal protection during removal of spillages. This means wearing eye protection, chemically resistant gloves, boots and overalls.

### Environmental precautions

Do not let product contaminate subsoil. Do not allow product to enter drains. Do not flush into surface water. Prevent further spillage if safe.

### Methods for Cleaning Up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Wash the spillage area with water. Washings must be prevented from entering surface water drains

## 7. HANDLING AND STORAGE

### HANDLING

Avoid dust formation. No specific precautions required when handling unopened packs. Provide good ventilation of working area. Read and observe all precautions and instructions on the label.

### STORAGE

Store in original containers, upright and closed. Store in areas that are cool, dry and well ventilated. Store away from seeds, fertilizers and animal feed stuff. Store in a place accessible by authorized persons only.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure limit value

ADI: 0.01 mg/kg bw (JMPR)

### Engineering controls

No special ventilation is required, as this product is not volatile. Control process conditions to avoid contact.

### Respiratory protection

Wear respirator with a particle filter mask (protection factor 4) .

### Hand protection



# CHEMET WETS & FLOWS P. LTD.

AN ISO 9001:2008; ISO 14001:2004; OHSAS 18001:2007 CERTIFIED COMPANY

G-12 Hemkoot Building, B/H LIC Office, Opp. B.M. Institute of Mental Health, Ashram Road, Ahmedabad-380009. Gujarat. INDIA.

Phone : 079-26586091, Fax : 079-26587111 Email : [info@chemet.in](mailto:info@chemet.in) Website : [www.chemet.in](http://www.chemet.in)

Wear chemical resistant nitrile or PVC gloves. Dispose of when contaminated inside, when perforated. Wash hands always before eating, drinking, smoking or using the toilet.

## Eye protection

Wear safety goggles with imperforated side shield and face shield.

## Skin protection

Avoid contact with skin. Wear apron, boots and full protective suit.

## Environmental exposure controls

Keep away from food, drink and animal feed stuff. This material and its container must be disposed of as hazardous waste. Avoid release to the environment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Powder
Color	White to cream-colored
Odour	Odorless
Molecular Weight	505.2 (Deltamethrin)
pH	The pH of an aqueous dispersion shall be 4.5 to 7.5.
Wet ability	The formulation shall be completely wetted in 2 min without swirling.
Solubility in water	Dispersible
Persistent foam	Maximum: 60 ml after 1 min

## 10. STABILITY AND REACTIVITY

Conditions to avoid	Extremes of temperature and direct sunlight
Materials to avoid	None

## Hazardous reactions

No hazardous reactions when stored and handled according to prescribed instructions. Stable under normal conditions.



# CHEMET WETS & FLOWS P. LTD.

AN ISO 9001:2008; ISO 14001:2004; OHSAS 18001:2007 CERTIFIED COMPANY

G-12 Hemkoot Building, B/H LIC Office, Opp. B.M. Institute of Mental Health, Ashram Road, Ahmedabad-380009. Gujarat. INDIA.

Phone : 079-26586091, Fax : 079-26587111 Email : [info@chemet.in](mailto:info@chemet.in) Website : [www.chemet.in](http://www.chemet.in)

## 11. TOXICO LOGICAL INFORMATION

### Acute toxicity

Rat LD50 oral, Rats	>2000 mg/kg bw
Rat LD50 dermal, Rats	>2000 mg/kg bw
Skin irritation	Non-irritant to skin of rabbits
Eye irritation	Non-irritant to the eyes of rabbits
Skin sensitization	Non-sensitizer to skin of Guinea pigs

## 12. ECO LOGICAL INFORMATION

<b>Mobility</b>	Deltamethrin is classified as a low-mobility to immobile compound in soils.
<b>Persistence and degradability</b>	Deltamethrin is not persistent in the environment. It is degraded by soil microorganisms and does not leave residues in the environment.

## 13. DISPOSAL CONSIDERATION

### Product disposal

Do not empty into drains or waterways. Disposal of product would usually be by incineration in an appropriate licensed commercial incinerator. Advice may be obtained from local waste regulation authorities.

### Container disposal

Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet

## 14. TRANSPORT INFORMATION

<b>UN Number</b>	3349
<b>Class</b>	6.1
<b>UN packaging group</b>	III

## 15. REGULATORY INFORMATION UNITED STATES

None.



# CHEMET WETS & FLOWS P. LTD.

AN ISO 9001:2008; ISO 14001:2004; OHSAS 18001:2007 CERTIFIED COMPANY

G-12 Hemkoot Building, B/H LIC Office, Opp. B.M. Institute of Mental Health, Ashram Road, Ahmedabad-380009. Gujarat. INDIA.

Phone : 079-26586091, Fax : 079-26587111 Email : [info@chemet.in](mailto:info@chemet.in) Website : [www.chemet.in](http://www.chemet.in)

## 16. OTHER INFORMATION

None.

## DISCLAIMER

All reasonable care has been exercised in processing your request for information on the chemical listed in this Material Safety Data Sheet. No warranty is made, either expressed or implied and Perisseuma Projects does not hold itself liable for any injury, illness, loss or misinterpretation arising from the use of this data. CHEMET WETS & FLOWS P.LTD makes no warranty expressed or implied in respect of the adequacy of this document for any particular purpose.

## PREPARED BY:

### CHEMET WETS & FLOWS P. LTD.

#### Admin Office:

G-12, Hemkoot Building, B/H LIC Office,  
Ashram Road, Ahmedabad-380 009  
Gujarat, INDIA.

**Contact:** +91-79-26583242

**E-mail:** [chemetank@gmail.com](mailto:chemetank@gmail.com)

**Website:** [www.chemet.in](http://www.chemet.in)